





DRILLING JIG FOR SHELF SUPPORTS




30 mm max


GENERAL SPECIFICATIONS



SETTING FOR DISTANCE 6,5 mm (POSITION A-A)



TO BE ORDERED SEPARATELY
Drill bit $\varnothing 15$ mm with accessories
Y0JG063600




FLIPPER




UNICO



SETTING FOR DISTANCE 8 mm (POSITION B-B)



TO BE ORDERED SEPARATELY
Drill bit $\varnothing 18$ mm with accessories
Y0JG063800




PK2






TEMPLATE FOR KINTAI SHELF SUPPORT




16 - 30 mm


GENERAL SPECIFICATIONS




APPLICATION OPTIONS



SETTING FOR KINTAI (POSITION C-C)



TO BE ORDERED SEPARATELY
Drill bit for Kintai with accessories
YOJG064000



KINTAI





SHELF SUPPORTS DRILLING JIG



AL	ST	EP	= on request
Y0JG0170RO			


TEMPLATE FOR KINTAI SHELF SUPPORT



AL	ST	= on request
Y0JG0172RO		

NOTE: The product code includes all the components shown in the picture.

DRILL BIT Ø15 WITH ACCESSORIES




HSS	ST	BR	= on request
Y0JG063600			

NOTE: The product code includes all the components shown in the picture.




DRILL BIT Ø18 WITH ACCESSORIES



HSS	ST	BR	= on request
Y0JG063800			

NOTE: The product code includes all the components shown in the picture.


DRILL BIT FOR KINTAI WITH ACCESSORIES




HSS	ST	BR	= on request
Y0JG064000			

NOTE: The product code includes all the components shown in the picture.

DRILL BIT ACCESSORIES



BR	= on request
Y0JG0610HL	



ST	= on request
Y0JG051800	